HALLMARK FLOORS®
HARDWOOD FLOORING

ORGANIC COLLECTION
SOLID HARDWOOD


Tulsi, Hickory


Cayenne Oak SOR34CAYO


Mint Oak SOR34MINO


Bay Leaf Oak SOR34BAYO


Rue Oak SOR34RUEO


Tulsi Hickory SOR34TULH


Nutmeg Hickory SOR34NUTH


Tusli, Hickory

HALLMARK FLOORS®
HARDWOOD FLOORING

ORGANIC COLLECTION
SOLID HARDWOOD

Features

Dimensions:	3¼", 4" x 6'2" RL
Thickness:	¾" Solid
Finish:	Nu Oil®
Edge Detail:	Handcrafted Bevel
Certified:	TSCA Title VI Compliant - Clean air Certified Renewable Sourcing
Surface Texture:	100% Handcrafted with genuine wood texture, Exclusive 10 step process
Warranty:	Limited Lifetime residential finish Limited Lifetime residential structural 3 year commercial finish 10 year commercial structural
Maintenance:	APPROVED MAINTENANCE PRODUCTS: WOCA Natural Soap Spray OR Bona® Pro Series Natural Oil Floor Cleaner OR LOBA® Universal Floor Cleaner


Nutmeg Hickory

Benefits

Finish:	Nu Oil® - Best stain & color protection Protective low sheen - provides a truly natural wood floor No additional recoat at time of install
Wear Layer:	100% Solid Hardwood Easier to repair or touch up if an accident occurs

Trim Options

- Stair Nose
- T-molding
- Threshold
- Reducer

Installation

 Nail Down

 Glue Down

Installs over: concrete and wood. Above or on grade. See complete installation instructions. Hallmark Solid Products are not approved for installation over Radiant Heat applications.

nu oil®

Refer to www.hallmarkfloors.com for latest, updated information.

Wood Characteristics

Color, Graining & Natural Changes



Wood flooring is a natural product that will feature distinct color and graining between planks. Each board contains large to small knots, sap wood, and a high contrast within the natural and lighter stained visuals. Knots and voids may or may not be filled with dark putty.

Note: This sample may not be representative of your entire installed floor, for your reference and the latest updated information, please refer to hallmarkfloors.com to see our online room scenes and product galleries.

Before installation review the samples with the floor and verify our beautiful one of a kind floor is what you are expecting.

Installation constitutes acceptance.

Light Characteristics

Wood Floor Plank with Natural Finish
Light* Exposure Over 48 Months

